



# CARTS & STANDS PFC™ 42 - 71" MOBILE CART



## FEATURES

- 1 CENTRIS® FINGERTIP TILT**  
Effortlessly adjust display using Centris fingertip tilt technology. Screen angle stays set until you decide to readjust.
- 2 TELESCOPING HEIGHT ADJUSTMENT**  
Integrated knob provides tool-less telescoping adjustment from 4 ft (120 cm) to 6 ft (180 cm).
- 3 Q-LATCH® MOUNTING SYSTEM**  
Flat panel secures to mount with a latching flag. Easy to connect/disconnect – no tools needed!
- 4 PORTRAIT/LANDSCAPE CAPABILITY**  
Mounts in either portrait or landscape position.
- CABLE MANAGEMENT**
- 5** Flexible covers hide cables for a clean installation.

## WHAT YOU NEED TO KNOW

### ABOUT PFC

Disassembles with one tool. Designed with lightweight aluminum, its unique angled base makes corner positioning or nesting easy. Universal interface bracket sold with PFCU, custom interface brackets sold separately with PFC.

### OTHER PRODUCT OPTIONS



**PFM™**  
Confidence Monitor Cart  
Height: 3 - 4' (91 - 122 cm), Tilt: +15°/+45°



**PFQ™**  
Confidence Monitor Cart  
Height: 2 - 2.5' (61 - 76 cm), Tilt: +15°/+45°

## SPECIFICATIONS

Dimensions* (HxWxD)	80.25" x 37.13" x 32.13" (204 x 94.3 x 81.6 cm)
Height	4 - 6' (120 - 180 cm)
Tilt	±15°
Weight Capacity	200 lbs (90.7 kg)
Colors	Black, Silver

\* Dimensions do not include interface bracket

## RECOMMENDED ACCESSORIES



**PAC710** ■ Accessory Shelf




**PAC720** ■ Dual Display Accessory



**PAC730** ■ Secure Storage Shelf

For a complete list of cart & stand accessories see page 88 - 89.

## TECHNICAL DRAWINGS





## FEATURES

- 1 CENTRIS® FINGERTIP TILT**  
Effortlessly adjust display using Centris fingertip tilt technology. Screen angle stays set until you decide to readjust.
- 2 TELESCOPING HEIGHT ADJUSTMENT**  
Integrated knob provides tool-less telescoping adjustment from 4 ft (120 cm) to 6 ft (180 cm).
- 3 Q-LATCH® MOUNTING SYSTEM**  
Flat panel secures to mount with a latching flag. Easy to connect/disconnect – no tools needed!
- 4 PORTRAIT/LANDSCAPE CAPABILITY**  
Mounts in either portrait or landscape position.
- 5 CABLE MANAGEMENT**  
Flexible covers hide cables for a clean installation.



## SPECIFICATIONS

Dimensions* (HxWxD)	77.75" x 37.13" x 32.13" (197.4 x 94.3 x 81.6 cm)
Height	4 - 6' (120 - 180 cm)
Tilt	±15°
Weight Capacity	125 lbs (56.7 kg)
Colors	Black, Silver

\* Dimensions do not include interface bracket

## WHAT YOU NEED TO KNOW

### ABOUT MFC

Disassembles with one tool. Designed with lightweight aluminum, its unique angled base makes corner positioning or nesting easy. Universal interface bracket sold with MFCU, custom interface brackets sold separately with MFC.

### OTHER PRODUCT OPTIONS




**MFM™**  
Confidence Monitor Cart  
Height: 3 - 4' (91 - 122 cm), Tilt: +15°/+45°



**MFQ™**  
Confidence Monitor Cart  
Height: 2 - 2.5' (61 - 76 cm), Tilt: +15°/+45°

## TECHNICAL DRAWINGS



## RECOMMENDED ACCESSORIES



**PAC710** □ Accessory Shelf



**MAC720** □ Dual Display Accessory



**PAC700** □ Travel Case

For a complete list of cart & stand accessories see page 88 - 89.



# CARTS & STANDS PF1™ □ 42 - 71" FLOOR STAND



## FEATURES

- 1 CENTRIS® FINGERTIP TILT**  
Effortlessly adjust display using Centris fingertip tilt technology. Screen angle stays set until you decide to readjust.
- 2 TELESCOPING HEIGHT ADJUSTMENT**  
Integrated knob provides tool-less telescoping adjustment from 4 ft (120 cm) to 7 ft (210 cm).
- 3 Q-LATCH® MOUNTING SYSTEM**  
Flat panel secures to mount with a latching flag. Easy to connect/disconnect – no tools needed!
- 4 PORTRAIT/LANDSCAPE CAPABILITY**  
Mounts in either portrait or landscape position.
- 5 CABLE MANAGEMENT**  
Flexible covers hide cables for a clean installation.

## WHAT YOU NEED TO KNOW

### ABOUT PF1

Disassembles with one tool. Designed with lightweight aluminum and steel, its unique flat angled base makes corner positioning easy. Universal interface bracket sold with PF1U, custom interface brackets sold separately with PF1.

### OTHER PRODUCT OPTIONS



**PF2™**  
Dual Back-to-Back Floor Stand

## SPECIFICATIONS

Dimensions* (HxWxD)	94" x 36" x 30" (238.8 x 91.4 x 76.2 cm)
Height	4 - 7' (120 - 210 cm)
Tilt	±15°
Weight Capacity	200 lbs (90.7 kg)
Colors	Black, Silver

\* Dimensions do not include interface bracket

## RECOMMENDED ACCESSORIES



**PAC710** ■ Accessory Shelf




**PAC720** ■ Dual Display Accessory



**PAC717** ■ Literature Shelf

For a complete list of cart & stand accessories see page 88 - 89.

## TECHNICAL DRAWINGS





## FEATURES

- 1 CENTRIS® FINGERTIP TILT**  
Effortlessly adjust display using Centris fingertip tilt technology. Screen angle stays set until you decide to readjust.
- 2 TELESCOPING HEIGHT ADJUSTMENT**  
Integrated knob provides tool-less telescoping adjustment from 4 ft (120 cm) to 7 ft (210 cm).
- 3 Q-LATCH® MOUNTING SYSTEM**  
Flat panel secures to mount with a latching flag. Easy to connect/disconnect – no tools needed!
- 4 PORTRAIT/LANDSCAPE CAPABILITY**  
Mounts in either portrait or landscape position.
- 5 CABLE MANAGEMENT**  
Flexible covers hide cables for a clean installation.



## SPECIFICATIONS

Dimensions* (HxWxD)	91.6" x 36" x 30" (232.7 x 91.4 x 76.2 cm)
Height	4 - 7' (120 - 210 cm)
Tilt	±15°
Weight Capacity	125 lbs (56.7 kg)
Colors	Black, Silver

\* Dimensions do not include interface bracket

## WHAT YOU NEED TO KNOW

### ABOUT MF1


Disassembles with one tool. Designed with lightweight aluminum and steel, its unique flat angled base makes corner positioning easy. Universal interface bracket sold with MF1U, custom interface brackets sold separately with MF1.

### OTHER PRODUCT OPTIONS



**MF2™**  
Dual Back-to-Back Floor Stand

## TECHNICAL DRAWINGS



## RECOMMENDED ACCESSORIES



**PAC710** □ Accessory Shelf



**MAC720** □ Dual Display Accessory



**PAC715** □ Video Conferencing Camera Shelf

For a complete list of cart & stand accessories see page 88 - 89.



# CARTS & STANDS PPD™ 32 - 45" DUAL DISPLAY PRESENTERS CART



(PAC150 Video Conferencing Camera Shelf and PAS100 Accessory Shelves not included.)

## FEATURES

- 1 HEIGHT ADJUSTABLE**  
Adjust height up to 6" (152 mm) for ergonomic alignment.
- 2 Q-LATCH® MOUNTING SYSTEM**  
Flat panel secures to mount with a latching flag. Easy to connect/disconnect – no tools needed!
- 3 PORTRAIT/LANDSCAPE CAPABILITY**  
Mounts in either portrait or landscape position.

## CABLE MANAGEMENT

For a clean installation.

## WHAT YOU NEED TO KNOW

### ORDERING OPTIONS

Available in universal.

### OTHER PRODUCT OPTIONS



**PPC™**  
42 - 61" Presenters Cart

## SPECIFICATIONS

Base Dimensions 42.38" x 29.75"  
(WxD) (107.7 x 75.6 cm)

Max Height 55"  
(Center of Screen) (139.7 cm)

Tilt 7.5°

Max Screen 43" per screen  
Width (109.2 cm)

Weight Capacity 200 lbs (90.7 kg)

Colors Black

## RECOMMENDED ACCESSORIES




**PAC715** Video Conferencing Camera Shelf



**PAS100** Accessory Shelf

## TECHNICAL DRAWINGS



For a complete list of cart & stand accessories see page 88 - 89.



## SPEAKER ADAPTERS\*

### PACLR1™ Left/Right Speaker Adapter

- Fully assembled
- Low profile
- Expandable for 30 - 50" flat panels
- Compatible with 8" (200 mm) and 14" (356 mm) Q-Latch patterns



### PAC302™ Center Speaker Shelf

- Interfaces with Chief's Q-Latch Mounting System
- Includes 5" (127 mm) of height adjustment for different size speakers
- Can also be used as a component shelf
- Compatible with 30 - 50" flat panels



### PACY3™ Yamaha Center Speaker Adapter

- Compatible with YAMAHA YSP-800, YSP-1000/YSP-1, YSP-900, YSP-3000, YSP-30D, YSP-3050, HTY7030, YSP-4000, YSP-40D, HTY-7040
- Compatible with 14" (356 mm) Q-Latch patterns
- Height adjustable for a flush installation

### YSM2™ Yamaha Wall Mount

- Compatible with YAMAHA YSP-1100, YSP-800, YSP-1000, YSP-1
- Low profile wall mount installation
- Provides room for outlet placement



### PACCC1™ Center Channel Speaker Adapter

- Fully assembled
- Low profile
- Expandable for 30 - 50" flat panels
- Compatible with 8" (200 mm) and 14" (356 mm) Q-Latch patterns



\* Also see FUSION accessories (page 87) and Carts and Stands accessories (pages 88-89)

## MEDIA ADAPTERS\*

### MAC251™ CPU/DVD/VCR Universal Adapter

- Adapts to 8" (200 mm) Q-Latch pattern
- Allows easy access to drives and input/output connections
- Compatible with media devices up to: (WxD) 13.75 x 3.88" (349 x 99 mm)



### PAC251™ CPU/DVD/VCR Universal Adapter

- Adapts to 14" (356 mm) Q-Latch pattern
- Allows easy access to drives and input/output connections
- Compatible with media devices up to: (HxWxD) 17.63 x 15.5 x 3.5" (448 x 394 x 89 mm)



### PAC252™ CPU Universal Adapter

- Adapts to 14" (356 mm) Q-Latch pattern
- Allows easy access to drives and input/output connections
- Compatible with media devices up to: (HxWxD) 16 x 14.5 x 4.5" (406 x 368 x 114 mm)



### MWC™ Medium Tilt Mount with Media Player Storage

- Complete solution designed to easily integrate a media player into a flat panel installation
- Lockable tilt at 0°, 5°, 10°, 15°
- 8" (200 mm) Q-Latch installation
- Compatible with media devices up to: (WxD) 18.81 x 3.81" (478 x 97 mm)



### PWC™ Large Tilt Mount with Media Player Storage

- Complete solution designed to easily integrate a media player into a flat panel installation
- Lockable tilt at 0°, 5°, 10°, 15°
- 14" (356 mm) Q-Latch installation
- Compatible with media devices up to: (WxD) 18.81 x 3.81" (478 x 97 mm)





## CART & STAND ACCESSORIES


### MAC722™ Dual Side-by-Side Accessory

- Adds support for 2 displays side-by-side to carts and floor stands
- Supports (2) 38" - 58" (96.5 - 147.3 cm) wide displays (must be same size)
- Weight Capacity: 125 lbs (56.7 kg) total



### PAC722™ Dual Side-by-Side Accessory

- Adds support for 2 displays side-by-side to carts and floor stands
- Supports (2) 38" - 58" (96.5 - 147.3 cm) wide displays (must be same size)
- Weight Capacity: 150 lbs (68 kg) total



### MAC720™ Dual Vertical Display Accessory

- Adds support for a second display to the lower extension column
- Weight Capacity: 125 lbs (56.7 kg)



### PAC720™ Dual Vertical Display Accessory

- Adds support for a second display to the lower extension column
- Weight Capacity: 200 lbs (90.7 kg)



### MAC790™ Display Swivel Adapter

- Adds swivel capability to carts and floor stands
- Tilt:  $\pm 15^\circ$
- Swivel:  $\pm 15^\circ$
- Weight Capacity: 125 lbs (56.7 kg)



### PAC790™ Display Swivel Adapter

- Adds swivel capability to carts and floor stands
- Tilt:  $\pm 15^\circ$
- Swivel:  $\pm 15^\circ$
- Weight Capacity: 200 lbs (90.7 kg)



### PAC715™/PAC716™ Video Conference Camera Shelf - Above

- 9" or 14" (229 mm or 356 mm) wide camera shelf
- Supports a video conferencing camera above or below the display
- Front/Back Extension: 2.5" (64 mm)
- Vertical Extension: 6.75" (171 mm)
- Weight Capacity: 10 lbs (4.5 kg)



### PAC710™ Carts and Stands Accessory Shelf

- Supports Chief's line of flat panel floor stands and carts
- Quick installation and adjustments
- Weight Capacity: 25 lbs (11.34 kg)



### PAS100™ Smoked Acrylic Accessory Shelf

- Compatible with PPC Presenter's cart
- Dimensions: (WxD) 29.5 x 18" (749 x 457 mm)
- Weight Capacity: 35 lbs (15.88 kg)



### PAC717™ Literature Shelf

- Presents literature in upright position - great for rental / staging applications
- Max Literature Size: (HxWxD) 11" x 8.5" x 2" (279 x 216 x 51 mm)
- Weight Capacity: 25 lbs (11.3 kg)





## CART & STAND ACCESSORIES cont.

### PAC730A/B/C™ Secure Storage Shelf

- Perfect size for secure storage of DVD players, laptops, and other similar sized equipment
- Up to 3 units can be stacked vertically and bolted together
- Three keyed locking options (A/B/C)
- Max equipment size: (HxWxD) 3.5" x 17.5" x 12.0" (89 x 445 x 305 mm)
- Weight Capacity: 25 lbs (11.3 kg)




### PAC735A/B/C™ Secure Storage Cabinet

- Secure storage option for rack mount equipment, PCs, codecs, and other large AV equipment
- Supports 19" (483 mm) wide rack mount equipment (up to 4 RU)
- Up to 3 units can be stacked vertically and bolted together (starting at base of cart/stand)
- Max equipment size: (HxWxD) 9" x 19" x 19" (229 x 483 x 483 mm)
- Weight Capacity: 40 lbs (18.1 kg)



### PAC780/782/784™ Height Assist Accessory

- Helps to neutralize the weight of displays for easier height adjustment
- Can be added to the MFC/PFC/MF1/PF1 carts and stands
- Travel distance: up to 32" (813 mm)
- PAC780 Weight Capacity: 50-75 lbs (22.7-34 kg)
- PAC782 Weight Capacity: 75-100 lbs (34-45.4 kg)
- PAC780 Weight Capacity: 100-125 lbs (45.4-56.7 kg)




### PAC775™ Cart Outdoor Casters

- Helps to reduce vibration transitted to equipment
- Weight Capacity: 200 lbs (90.7 kg)



### KFA220™ Dual Monitor Cart/Stand Accessory

- Accessory supports 2 monitors (up to 22.7" / 577 mm wide) side-by-side
- Two brackets included to attach multiple monitors to the cart



### KFA225™ Widescreen Dual Monitor Cart/Stand Accessory

- Accessory supports 2 widescreen monitors screens (up to 30" / 762 mm wide) side-by-side
- Two brackets included to attach multiple monitors to the cart



### KFA320™ Triple Monitor Cart/Stand Accessory

- Accessory supports three monitors (up to 18" / 457 mm wide) side-by-side



### KFA325™ Widescreen Triple Monitor Cart/Stand Accessory

- Accessory supports three widescreen monitors (up to 25" / 635 mm wide) side-by-side

